

Growing Up Healthy: Fat, Cholesterol and More



Many Americans consume too many calories and too much fat, especially saturated fat, trans fat, and sugar. These eating patterns are one cause of America's high rates of obesity and heart disease.

As a parent or caregiver, you can help your child develop healthy habits that can last a lifetime. Although many things influence children, adults are still the most important role models. The single-best predictor of a child with a healthy weight and lifestyle is parents who set a good example by making healthy food choices and engaging in regular physical activity. If heart disease runs in your family, your child is at greater risk for heart disease in adulthood, making this even more important.

Read on for information from the American Academy of Pediatrics about fat in food and healthier food choices. If you have specific questions about your child's nutrition, talk with your child's doctor or a registered dietitian.

Fat in food: how much for children?

Childhood is the best time to start heart-healthy eating habits. But eating healthy for most children doesn't mean following adult goals for cutting back on total fat, saturated fat, trans fat, and cholesterol, particularly for children younger than 2 years. Fat is an essential nutrient that supplies the energy, or calories, children need for growth and active play and should not be severely restricted.

However, if your child is younger than 2 years and overweight or at risk for overweight, or has a family history of high cholesterol or heart disease, reduced saturated fat dietary choices may be appropriate. Check with your child's doctor or a registered dietitian before restricting fat in your child's diet. Between the ages of 2 and 5 years, encourage children to gradually choose foods with less fat, saturated fat, and trans fat. By age 5, their overall food choices, like yours, should include heart-healthy foods such as low-fat dairy products, skinless chicken, fish, lean red meats, whole grains, fruits, and vegetables.

NOTE: Restricting a child's eating too much may harm growth and development or encourage undesirable eating behaviors. Before making any drastic changes in a child's eating plan or physical activity habits, talk with your child's doctor or a registered dietitian. If your child is younger than 2 years and obese or overweight, consult your child's doctor before restricting fat or calories, such as with reduced-fat milk.

How is saturated fat different than other fat?

Saturated fat is usually solid at room temperature, compared with liquid fats like oil that contain unsaturated fats. Saturated fats come mostly from animal sources, such as butter, cheese, bacon, and meat, as well as stick margarine. Polyunsaturated and monounsaturated fats are found in vegetables and fruits (for example, olives, soy beans, nuts). Trans fats are fats that begin as good fats but are chemically changed to keep foods fresh for longer; unfortunately,

they can be bad for your cholesterol levels. They are found in baked goods and processed foods. Reading nutrition information labels and ingredients to look for saturated and trans fats can help you determine how much of these fats are present in a particular food.

Milk—whole or reduced-fat?

The following are guidelines about what type of milk to give your child.

Age	Type of milk
Younger than 12 months	Breast milk is best; iron-fortified formula should be used if breast milk is not available.
12 to 24 months	Whole milk. Your child's doctor may recommend reduced-fat (2%) or low-fat (1%) milk if your child is obese or overweight, or if there is a family history of high cholesterol or heart disease. Check with your child's doctor or a registered dietitian before switching from whole to reduced-fat milk. Note: Breastfeeding can continue after 12 months of age as long as is desired by mom and baby.
Older than 24 months	Low-fat (1%) or nonfat (skim) milk

Cholesterol—where does it come from?

Cholesterol is made by your body to help form the walls of cells and organs. It is an important part of the brain and nervous system. The liver converts fat that you eat into cholesterol. Cholesterol also comes from your diet; it is found in large amounts in shrimp, octopus (calamari), and organ meats such as liver. Eggs also contain cholesterol in lesser amounts.

Good nutrition for the whole family

Chances are that some of your child's favorite foods are higher in fat and energy (or calories) compared with the amount of nutrients they provide. Try to select foods that have a high content of nutrients (protein, vitamins, and minerals) compared with the amount of calories, fat, and salt. For example,

- Have plenty of fresh fruits and vegetables available and ready to eat. Washing and preparing these ahead of time may make it more likely your family will eat them.
- Include high-fiber, whole-grain foods such as brown rice, whole-grain pasta, corns, peas, and breads and cereals at meals. Sweet potatoes are also a good choice.
- Choose lower-fat or fat-free toppings like grated low-fat parmesan cheese, salsa, herbed cottage cheese, nonfat/low-fat gravy, low-fat sour cream, low-fat salad dressing, or yogurt.

Food tips

The following are ways to make good food choices when considering fat, saturated fat, and cholesterol in food choices.

Food group ^a	Most days	Once in a while
Grains	<ul style="list-style-type: none"> • Whole-grain mini bagel or English muffin • Whole-grain chips or breads high in fiber • Low-sugar, high-fiber granola bars and baked goods 	<ul style="list-style-type: none"> • Donut or Danish • Fried potato or corn chips • Cookie or cupcake
Vegetable	<ul style="list-style-type: none"> • Several servings of raw and cooked vegetables 	<ul style="list-style-type: none"> • French fries • Creamy cole slaw
Fruit	<ul style="list-style-type: none"> • Several servings of fresh fruit, dried fruit, and 100% fruit juice 	<ul style="list-style-type: none"> • Pies or desserts with fruit
Milk, yogurt, and cheese	<ul style="list-style-type: none"> • Low-fat (1%) or nonfat (skim) milk • Reduced-fat cottage cheese or reduced-fat cheese • Low-fat yogurt 	<ul style="list-style-type: none"> • Ice cream, milkshakes
Meat, poultry, fish, dry beans, eggs, and nuts	<ul style="list-style-type: none"> • Baked or grilled skinless chicken • Baked or grilled fish • Vegetable “burgers” • Beans, eggs, nuts, seeds, peanut butter (1 to 2 tablespoons) 	<ul style="list-style-type: none"> • Fried fish sticks • Fried chicken • Fried chicken nuggets

^aDo not feed children younger than 4 years round, firm food unless it is chopped completely. The following foods are choking hazards: nuts and seeds; chunks of meat or cheese; hot dogs; whole grapes; fruit chunks (such as apples); popcorn; raw vegetables; hard, gooey, or sticky candy; and chewing gum. Peanut butter can be a choking hazard for children younger than 2.

^bThe American Academy of Pediatrics recommends that juice be limited to 4 to 6 ounces per day for children 1 to 6 years of age, and 8 to 12 ounces per day for children 7 to 18 years of age.

- Select lean meats such as skinless chicken and turkey, fish, lean beef cuts (round, sirloin, chuck, loin, lean ground beef—no more than 15% fat content), and lean pork cuts (tenderloin, chops, ham). Buy “choice” or “select” grades of beef rather than “prime.” Trim off all visible fat. Remove skin from cooked poultry before eating.
- Include healthy oils such as canola or olive oil in your diet. Choose margarine and vegetable oils without trans fats made from canola, corn, sunflower, soybean, or olive oils. Choose tub and liquid margarine rather than stick margarine, which contains trans fats.
- Use nonstick vegetable sprays when cooking.
- Use fat-free cooking methods such as baking, broiling, grilling, poaching, or steaming when cooking meat, poultry, or fish.
- Serve vegetable- and broth-based soups, or use nonfat (skim) or low-fat (1%) milk or evaporated skim milk when making cream soups.
- Use the Nutrition Facts label on food packages to find foods with less saturated fat per serving. Pay attention to the serving size as you make choices. Remember that the percent daily values on food labels are based on portion sizes and calorie levels for adults.

Serving up healthier food choices

It's important for children and adults to be sensible and enjoy all foods but not to overdo it on one type of food. Also, no food should be forced or forbidden. When children think a food is forbidden by their parents, it often becomes more desirable. However, children should know that sweets and higher-fat snack foods in appropriate portions are OK once in a while.

Active play is important too!

Physical activity, along with proper nutrition, promotes lifelong health. Active play is the best exercise for kids! Parents can join their children and have fun while being active too. Some fun activities for parents and kids to do together include playing on swings, riding tricycles or bicycles, jumping rope, flying a kite, making a snowman, swimming, or dancing. The daily recommendation for exercise for children (adults also) is at least 1 hour per day. This takes commitment from parents, but the rewards are time together and better health.

For more information

American Academy of Pediatrics

www.HealthyChildren.org

Academy of Nutrition and Dietetics

www.eatright.org and www.kidseatright.org

US Department of Agriculture and other federal government agencies

www.nutrition.gov (includes information about the new food group symbol, MyPlate, which replaces MyPyramid)

Developed in collaboration with the Academy of Nutrition and Dietetics (formerly American Dietetic Association). For more information about the Academy of Nutrition and Dietetics, visit their Web site at www.eatright.org.

Listing of resources does not imply an endorsement by the American Academy of Pediatrics (AAP). The AAP is not responsible for the content of the resources mentioned in this publication. Phone numbers and Web site addresses are as current as possible, but may change at any time.

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

The American Academy of Pediatrics is an organization of 60,000 primary care pediatricians, pediatric medical subspecialists, and pediatric surgical specialists dedicated to the health, safety, and well-being of infants, children, adolescents, and young adults.

American Academy of Pediatrics
Web site—www.HealthyChildren.org

Copyright © 2012
American Academy of Pediatrics
All rights reserved.